

Package: contactdata (via r-universe)

September 26, 2024

Title Social Contact Matrices for 177 Countries

Version 1.1.0.9000

Description Data package for the supplementary data in Prem et al. (2017) <[doi:10.1371/journal.pcbi.1005697](https://doi.org/10.1371/journal.pcbi.1005697)> and Prem et al. <[doi:10.1371/journal.pcbi.1009098](https://doi.org/10.1371/journal.pcbi.1009098)>. Provides easy access to contact data for 177 countries, for use in epidemiological, demographic or social sciences research.

License MIT + file LICENSE

Depends R (>= 3.5.0)

Suggests countrycode, ggplot2, knitr, rmarkdown, spelling, testthat(>= 3.0.0), covr

URL <https://hugogruson.fr/contactdata/>,
<https://github.com/bisaloo/contactdata>

BugReports <https://github.com/bisaloo/contactdata/issues>

Encoding UTF-8

Language en-GB

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.2

VignetteBuilder knitr

Config/testthat/edition 3

Repository <https://bisaloo.r-universe.dev>

RemoteUrl <https://github.com/bisaloo/contactdata>

RemoteRef HEAD

RemoteSha e0b5afaeda413b17dae682ec9257c856feb3339b

Contents

age_df_countries	2
contact_df_countries	3
contact_matrix	4
list_countries	5

age_df_countries	<i>Get a data.frame (in long format) of population by age for multiple countries</i>
------------------	--

Description

Get a data.frame (in long format) of population by age for multiple countries

Usage

```
age_df_countries(countries)
```

Arguments

countries	A character string or a vector of character containing the names of the countries for which to return contact data
-----------	--

Value

A data.frame (in long format) with 3 columns:

- country: the country name
- age: the age group
- population: the number of people in this age group

References

<https://www.census.gov/programs-surveys/international-programs/about/idb.html>

Examples

```
age_df_countries(c("Austria", "Belgium"))
```

contact_df_countries *Get a data.frame (in long format) of contact data for multiple countries*

Description

Get a data.frame (in long format) of contact data for multiple countries

Usage

```
contact_df_countries(countries, ...)
```

Arguments

countries A character string or a vector of character containing the names of the countries for which to return contact data

... Arguments passed to `contact_matrix()`

Value

A data.frame (in long format) with 4 columns:

- country: the country name
- age_from: the age group of individual
- age_to: the age group of contact
- contact: the intensity of contact

References

Kiesha Prem, Alex R. Cook, Mark Jit, *Projecting social contact matrices in 152 countries using contact surveys and demographic data*, PLoS Comp. Biol. (2017), doi:[10.1371/journal.pcbi.1005697](https://doi.org/10.1371/journal.pcbi.1005697)

Kiesha Prem, Kevin van Zandvoort, Petra Klepac, Rosalind M. Eggo, Nicholas G. Davies, CMMID COVID-19 Working Group, Alex R. Cook, Mark Jit, *Projecting contact matrices in 177 geographical regions: An update and comparison with empirical data for the COVID-19 era*, PLoS Comp. Biol. (2021), doi:[10.1371/journal.pcbi.1009098](https://doi.org/10.1371/journal.pcbi.1009098).

Examples

```
contact_df_countries(c("Austria", "Belgium"), location = "all")
```

contact_matrix *Get contact data matrix for a specific country*

Description

Get contact data matrix for a specific country

Usage

```
contact_matrix(  
  country,  
  location = c("all", "home", "school", "work", "other"),  
  geographic_setting = c("all", "rural", "urban"),  
  data_source = c("2020", "2017")  
)
```

Arguments

country	Character. The name of the country for which you want contact data.
location	Character. One of "all" (default), "home", "school", "work" or "other".
geographic_setting	Character. One of "all" (default), "rural", "urban"
data_source	Character. Either "2020" (default) or "2017"

Value

A square (16 by 16) matrix containing the contact data between the different age classes for a given country.

References

Kiesha Prem, Alex R. Cook, Mark Jit, *Projecting social contact matrices in 152 countries using contact surveys and demographic data*, PLoS Comp. Biol. (2017), [doi:10.1371/journal.pcbi.1005697](https://doi.org/10.1371/journal.pcbi.1005697)

Kiesha Prem, Kevin van Zandvoort, Petra Klepac, Rosalind M. Eggo, Nicholas G. Davies, CMMID COVID-19 Working Group, Alex R. Cook, Mark Jit, *Projecting contact matrices in 177 geographical regions: An update and comparison with empirical data for the COVID-19 era*, PLoS Comp. Biol. (2021), [doi:10.1371/journal.pcbi.1009098](https://doi.org/10.1371/journal.pcbi.1009098).

Examples

```
contact_matrix("France", location = "all")  
  
contact_matrix("Belgium", location = "school")
```

list_countries	<i>Get the list of countries included in the dataset</i>
----------------	--

Description

Get the list of countries included in the dataset

Usage

```
list_countries(  
  geographic_setting = c("all", "rural", "urban"),  
  data_source = c("2020", "2017")  
)
```

Arguments

`geographic_setting` Character. One of "all" (default), "rural", "urban"
`data_source` Character. Either "2020" (default) or "2017"

Value

A character vector with the name of all countries included in the dataset

Note

This package uses the nomenclature from the **countrycode** package. If your names differ from the names used here, you should use **countrycode** as well to update them.

References

Kiesha Prem, Alex R. Cook, Mark Jit, *Projecting social contact matrices in 152 countries using contact surveys and demographic data*, PLoS Comp. Biol. (2017), [doi:10.1371/journal.pcbi.1005697](https://doi.org/10.1371/journal.pcbi.1005697)
Kiesha Prem, Kevin van Zandvoort, Petra Klepac, Rosalind M. Eggo, Nicholas G. Davies, CMMID COVID-19 Working Group, Alex R. Cook, Mark Jit, *Projecting contact matrices in 177 geographical regions: An update and comparison with empirical data for the COVID-19 era*, PLoS Comp. Biol. (2021), [doi:10.1371/journal.pcbi.1009098](https://doi.org/10.1371/journal.pcbi.1009098).

Examples

```
list_countries()
```

Index

`age_df_countries`, 2

`contact_df_countries`, 3

`contact_matrix`, 4

`contact_matrix()`, 3

`list_countries`, 5