

Package: pkgicon (via r-universe)

May 19, 2026

Title A Local and Robust Way to Generate Favicons for Package Documentation Sites

Version 0.0.0.9000

Description What the package does (one paragraph).

License GPL-3

Config/testthat/edition 3

Encoding UTF-8

Language en-GB

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.2

Imports cli, jsonlite, magick, pkgdown, rsvg, whisker

Suggests knitr, rmarkdown

VignetteBuilder knitr

URL <https://hugogruson.fr/pkgicon/>, <https://github.com/Bisaloo/pkgicon>

BugReports <https://github.com/Bisaloo/pkgicon/issues>

Config/pak/sysreqs cmake libfontconfig1-dev libfreetype6-dev libfribidi-dev make libharfbuzz-dev libmagick++-dev gsfonts libicu-dev libjpeg-dev libpng-dev librsvg2-dev libtiff-dev libuv1-dev libwebp-dev libxml2-dev libssl-dev

Repository <https://bisaloo.r-universe.dev>

Date/Publication 2025-09-21 10:11:20 UTC

RemoteUrl <https://github.com/Bisaloo/pkgicon>

RemoteRef HEAD

RemoteSha 841231f44371a6a80433bace2a72e6aff8c026dd

Contents

build_pkgdown_favicons	2
Index	3

build_pkgdown_favicons

A local alternative to `pkgdown::build_favicons`

Description

The list of returned icons is exactly the same as `pkgdown::build_favicons()`, to allow this function to be used as a drop-in replacement.

Usage

```
build_pkgdown_favicons(pkg = ".", overwrite = FALSE)
```

Arguments

pkg	Path to package.
overwrite	If TRUE, re-create favicons from package logo.

Index

`build_pkgdown_favicons`, [2](#)

`pkgdown::build_favicons`, [2](#)

`pkgdown::build_favicons()`, [2](#)