

Package: semaforos (via r-universe)

July 15, 2024

Title Get Semáforo Epidemiológico Data from Mexico COVID-19 Response

Version 0.1.0

Description Provides Semáforo Epidemiológico data. The Semáforos are a response measure implemented by the Mexican federal government during the COVID-19 pandemic to mitigate to virus propagation. They are graduated across 4 colors (verde, amarillo, naranja, rojo) that indicate increasing levels of urgency and restrictions. Each Semáforo is defined for a given State for a period of one week before being re-evaluated in the light of new epidemiological data. Proporciona datos de los Semáforos Epidemiológicos. Los Semáforos Epidemiológicos son una medida de respuesta por parte del Gobierno Mexicano durante la pandemia del COVID-19 para mitigar la propagacion del virus. Se clasifican en cuatro colores (verde, amarillo, naranja, rojo) que indican un aumento en los niveles de urgencia y restricciones. Los Semáforos Epidemiológicos se definen para cada Estado, y son actualizados semanalmente.

Depends R (>= 3.5.0)

Suggests dplyr, forcats, ggplot2, knitr, rmarkdown, sf, testthat (>= 3.0.0)

Config/Needs/data httr, xml2

License MIT + file LICENSE

URL <https://bisaloo.github.io/semaforos/>,
<https://github.com/bisaloo/semaforos>

BugReports <https://github.com/bisaloo/semaforos/issues>

Config/testthat/edition 3

Encoding UTF-8

Language en-GB

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 7.1.1

VignetteBuilder knitr

Repository <https://bisaloo.r-universe.dev>

RemoteUrl <https://github.com/bisaloo/semaforos>

RemoteRef HEAD

RemoteSha 358883511fada24ff5822a5ea1c7eaba7cf357d7

Contents

semaforos_get	2
Index	3

semaforos_get	<i>Get Semáforo Epidemiológico Data from Mexico COVID-19 Response</i>
---------------	---

Description

Get Semáforo Epidemiológico Data from Mexico COVID-19 Response

Usage

```
semaforos_get(format = c("long", "wide"))
```

Arguments

format Either "long" (the default), or "wide" to specify the format of the output data.frame

Value

- if format = "long", a data.frame with 4 columns:
 - estado which contains the name of the state to which the semaforo in the row applies
 - year the four-digit year (%Y in `strptime()`)
 - week the two-digit week, as specified in the ISO8601 (%W in `strptime()`)
 - color the color of the semaforo, indicating the alert level
- if format = "wide", a data.frame with estado as the first column and then one column for each week, with the column names indicating the week in the format %Y-W%W (e.g., "2021-W02")

Examples

```
sw <- semaforos_get(format = "wide")
head(sw)
```

```
sl <- semaforos_get(format = "long")
head(sl)
```

Index

semaforos_get, 2
strptime(), 2